

# Kitemark™ Certificate

This is to certify that:

Polypipe Limited  
(trading as Polypipe Building Products)  
Neale Road  
Off Wheatley Hall Road  
Doncaster  
DN2 4PG  
United Kingdom

Holds Certificate Number:

KM 799484

In respect of:

**Regulation 4(1)(a) Kitemark  
Regulation 4(1)(a) of The Water Supply (Water Fittings) Regulations 1999, The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009, and The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.



For and on behalf of BSI:

Shahm Barhom, Group Product Certification Director

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09



Page: 1 of 28

# Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999**  
**The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009**  
**The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

**The scope of this Certificate covers the following above ground products for use with hot and cold potable water.**

Manufactured under the **Polypipe, Polyplumb, Polyfit, Polymax & Polysure** trade names to the requirements of BS 7291-1 and 2: 2010, system class 'S'.

Codes: (**Polyplumb** Grey – prefixed by "PB") / (**Polyplumb** White – prefixed by "PB" and suffixed by "EW") / (**Polyfit** – prefixed by "FIT") / (**Polymax** – prefixed by "MAX") / (**Polysure** – prefixed by "SUR")

## Pipes:

| Model Ref. No.        | Nominal Outside Diameter (mm) | Product Description             | Joint Type | Main body Material Type | Compatible With     | Max Working Temperature and Pressure |
|-----------------------|-------------------------------|---------------------------------|------------|-------------------------|---------------------|--------------------------------------|
| PB (length/OD) B      | 10, 12, 15, 18, 20, 22, 28    | Grey Polybutylene Barrier Pipe  | Push Fit   | PB                      | PB & Brass fittings | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT (length/OD) B     | 10, 12, 15, 18, 20, 22, 28    | White Polybutylene Barrier Pipe | Push Fit   | PB                      | PB & Brass fittings | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB (length/OD) B-BLUE | 10, 15, 22, 28                | Blue Polybutylene Barrier Pipe  | Push Fit   | PB                      | PB & Brass fittings | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB (length/OD) B-RED  | 10, 15, 22, 28                | Red Polybutylene Barrier Pipe   | Push Fit   | PB                      | PB & Brass fittings | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB (length/OD)        | 10, 12, 15, 18, 20, 22, 28    | Grey Polybutylene Standard Pipe | Push Fit   | PB                      | PB & Brass fittings | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB (length/OD) BLUE   | 10, 15, 22, 28                | Blue Polybutylene Standard Pipe | Push Fit   | PB                      | PB & Brass fittings | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB (length/OD) RED    | 10, 15, 22, 28                | Red Polybutylene Red Pipe       | Push Fit   | PB                      | PB & Brass fittings | 12.5 bar @ 20°C<br>3 bar @ 95°C      |

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 2 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999  
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009  
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

## Associated Polyplumb Fittings:

| Model Ref. No. | Nominal Outside Diameter (mm) | Product Description        | Joint Type | Main body Material Type | Compatible With  | Max Working Temperature and Pressure |
|----------------|-------------------------------|----------------------------|------------|-------------------------|------------------|--------------------------------------|
| PB010          | 10                            | Polyplumb Straight Coupler | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB015          | 15                            | Polyplumb Straight Coupler | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB022          | 22                            | Polyplumb Straight Coupler | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB028          | 28                            | Polyplumb Straight Coupler | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB582210       | 28 x 10                       | Polyplumb Reducing Coupler | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB5822         | 22 x 15                       | Polyplumb Reducing Coupler | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB110          | 10                            | Polyplumb Elbow            | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB115          | 15                            | Polyplumb Elbow            | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB122          | 22                            | Polyplumb Elbow            | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB128          | 28                            | Polyplumb Elbow            | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB1010         | 10                            | Polyplumb Spigot Elbow     | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 3 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999**  
**The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009**  
**The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

## Associated Polyplumb Fittings (continued):

| Model Ref. No. | Nominal Outside Diameter (mm) | Product Description       | Joint Type | Main body Material Type | Compatible With    | Max Working Temperature and Pressure |
|----------------|-------------------------------|---------------------------|------------|-------------------------|--------------------|--------------------------------------|
| PB101510       | 10 x 15                       | Polyplumb Spigot Elbow    | Push Fit   | PB                      | PB & Copper pipe   | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB1015         | 15                            | Polyplumb Spigot Elbow    | Push Fit   | PB                      | PB & Copper pipe   | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB1022         | 22                            | Polyplumb Spigot Elbow    | Push Fit   | PB                      | PB & Copper pipe   | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB210          | 10                            | Polyplumb Equal Tee       | Push Fit   | PB                      | PB & Copper pipe   | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB215          | 15                            | Polyplumb Equal Tee       | Push Fit   | PB                      | PB & Copper pipe   | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB222          | 22                            | Polyplumb Equal Tee       | Push Fit   | PB                      | PB & C Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB228          | 28                            | 28mm Polyplumb Equal Tee  | Push Fit   | PB                      | PB & Copper pipe   | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB1415         | 15x10x15                      | Polyplumb End Reduced Tee | Push Fit   | PB                      | PB & Copper pipe   | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB1422         | 22x15x22                      | Polyplumb End Reduced Tee | Push Fit   | PB                      | PB & Copper pipe   | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB1428         | 28x22x28                      | Polyplumb End Reduced Tee | Push Fit   | PB                      | PB & Copper pipe   | 12.5 bar @ 20°C<br>3 bar @ 95°C      |

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 4 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999  
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009  
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

## Associated Polyplumb Fittings (continued):

| Model Ref. No. | Nominal Outside Diameter (mm) | Product Description                    | Joint Type | Main body Material Type | Compatible With  | Max Working Temperature and Pressure |
|----------------|-------------------------------|----------------------------------------|------------|-------------------------|------------------|--------------------------------------|
| PB1115         | 15x15x10                      | Polyplumb Branch Reduced Tee           | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB112210       | 22x22x10                      | Polyplumb Branch Reduced Tee           | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB1122         | 22x22x15                      | Polyplumb Branch Reduced Tee           | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB1128         | 28x28x22                      | Polyplumb Branch Reduced Tee           | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB1215         | 15x15x10                      | Polyplumb Branch Reduced Spigot Tee    | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB1222         | 22x22x15                      | Polyplumb Branch Reduced Spigot Tee    | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB1515         | 15x10x10                      | Polyplumb Branch & One End Reduced Tee | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB1522         | 22x15x15                      | Polyplumb Branch & One End Reduced Tee | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB1528         | 28x22x22                      | Polyplumb Branch & One End Reduced Tee | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB1622         | 15x15x22                      | Polyplumb Two Ends Reduced Tee         | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB815          | 15 x 10                       | Polyplumb Spigot Reducer               | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 5 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999  
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009  
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

## Associated Polyplumb Fittings (continued):

| Model Ref. No. | Nominal Outside Diameter (mm) | Product Description              | Joint Type | Main body Material Type | Compatible With  | Max Working Temperature and Pressure |
|----------------|-------------------------------|----------------------------------|------------|-------------------------|------------------|--------------------------------------|
| PB822          | 22 x 15                       | Polyplumb Spigot Reducer         | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB828          | 28 x 22                       | Polyplumb Spigot Reducer         | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB1815         | 15 x 10                       | Polyplumb Socket Reducer         | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB1822         | 22 x 15                       | Polyplumb Socket Reducer         | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB1828         | 28 x 22                       | Polyplumb Socket Reducer         | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB715          | 15 x 1/2"                     | Polyplumb Straight Tap Connector | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB71534        | 15 x 3/4"                     | Polyplumb Straight Tap Connector | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB722          | 22 x 3/4"                     | Polyplumb Straight Tap Connector | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB1715         | 15 x 1/2"                     | Polyplumb Bent Tap Connector     | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB910          | 10                            | Polyplumb Spigot Blank Ends      | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB915          | 15                            | Polyplumb Spigot Blank Ends      | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 6 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999**  
**The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009**  
**The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

## Associated Polyplumb Fittings (continued):

| Model Ref. No. | Nominal Outside Diameter (mm) | Product Description                     | Joint Type | Main body Material Type | Compatible With  | Max Working Temperature and Pressure |
|----------------|-------------------------------|-----------------------------------------|------------|-------------------------|------------------|--------------------------------------|
| PB922          | 22                            | Polyplumb Spigot Blank Ends             | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB928          | 28                            | Polyplumb Spigot Blank Ends             | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB1910         | 10                            | Polyplumb Socket Blank Ends             | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB1915         | 15                            | Polyplumb Socket Blank Ends             | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB1922         | 22                            | Polyplumb Socket Blank Ends             | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB1928         | 28                            | Polyplumb Socket Blank Ends             | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB6910         | 10                            | Polyplumb Demountable Socket Blank Ends | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB6915         | 15                            | Polyplumb Demountable Socket Blank Ends | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB6922         | 22                            | Polyplumb Demountable Socket Blank Ends | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB6928         | 28                            | Polyplumb Demountable Socket Blank Ends | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB3910         | 10                            | Polyplumb Radiator Connector Bend       | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 7 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999  
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009  
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

## Associated Polyplumb Fittings (continued):

| Model Ref. No. | Nominal Outside Diameter (mm) | Product Description                 | Joint Type | Main body Material Type | Compatible With  | Max Working Temperature and Pressure |
|----------------|-------------------------------|-------------------------------------|------------|-------------------------|------------------|--------------------------------------|
| PB3915         | 15                            | Polyplumb Radiator Connector Bend   | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB2822         | 22 x 10                       | 2 Port Polyplumb Manifold           | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB4822         | 22 x 10                       | 4 Port Polyplumb Manifold (Skt/Skt) | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB4922         | 22 x 10                       | 4 Port Polyplumb Manifold (Skt/Spg) | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB7322153      | 22 x 15                       | 3 Port Polyplumb Manifold (Skt/Skt) | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB7622153      | 22 x 15                       | 3 Port Polyplumb Manifold (Skt/Spg) | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB7322104      | 22 x 10                       | 4 Port Polyplumb Manifold (Skt/Skt) | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB7622104      | 22 x 10                       | 4 Port Polyplumb Manifold (Skt/Spg) | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB47152        | 15 x 3/4"                     | F/M BSP 2 Port Manifold             | Push Fit   | Brass                   | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB47153        | 15 x 3/4"                     | F/M BSP 3 Port Manifold             | Push Fit   | Brass                   | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 8 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999**  
**The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009**  
**The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

## Associated Polyplumb Fittings (continued):

| Model Ref. No. | Nominal Outside Diameter (mm) | Product Description | Joint Type | Main body Material Type | Compatible With  | Max Working Temperature and Pressure |
|----------------|-------------------------------|---------------------|------------|-------------------------|------------------|--------------------------------------|
| PB4310         | 10 x 1/4"                     | Male BSP Adaptor    | Push Fit   | Brass                   | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB431038       | 10 x 3/8"                     | Male BSP Adaptor    | Push Fit   | Brass                   | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB4315         | 15 x 1/2"                     | Male BSP Adaptor    | Push Fit   | Brass                   | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB4322         | 22 x 3/4"                     | Male BSP Adaptor    | Push Fit   | Brass                   | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB4328         | 28 x 1"                       | Male BSP Adaptor    | Push Fit   | Brass                   | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB4410         | 10 x 1/4"                     | Female BSP Adaptor  | Push Fit   | Brass                   | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB441038       | 10 x 3/8"                     | Female BSP Adaptor  | Push Fit   | Brass                   | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB4415         | 15 x 1/2"                     | Female BSP Adaptor  | Push Fit   | Brass                   | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB441534       | 15 x 3/4"                     | Female BSP Adaptor  | Push Fit   | Brass                   | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB4422         | 22 x 3/4"                     | Female BSP Adaptor  | Push Fit   | Brass                   | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB4428         | 28 x 1"                       | Female BSP Adaptor  | Push Fit   | Brass                   | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 9 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999**  
**The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009**  
**The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

## Associated Polyplumb Fittings (continued):

| Model Ref. No. | Nominal Outside Diameter (mm) | Product Description | Joint Type | Main body Material Type | Compatible With  | Max Working Temperature and Pressure |
|----------------|-------------------------------|---------------------|------------|-------------------------|------------------|--------------------------------------|
| PB3015         | 15 x 1/2"                     | Female Elbow        | Push Fit   | Brass                   | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB302212       | 22 x 1/2"                     | Female Elbow        | Push Fit   | Brass                   | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB3022         | 22 x 3/4"                     | Female Elbow        | Push Fit   | Brass                   | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB2915         | 15 x 1/2"                     | Female Tee          | Push Fit   | Brass                   | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| PB292212       | 22 x 1/2"                     | Female Tee          | Push Fit   | Brass                   | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |

## Associated Polyfit Fittings:

| Model Ref. No. | Nominal Outside Diameter (mm) | Product Description      | Joint Type | Main body Material Type | Compatible With  | Max Working Temperature and Pressure |
|----------------|-------------------------------|--------------------------|------------|-------------------------|------------------|--------------------------------------|
| FIT010         | 10                            | Polyfit Straight Coupler | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT015         | 15                            | Polyfit Straight Coupler | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT022         | 22                            | Polyfit Straight Coupler | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT028         | 28                            | Polyfit Straight Coupler | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 10 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999  
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009  
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

## Associated Polyfit Fittings (continued):

| Model Ref. No. | Nominal Outside Diameter (mm) | Product Description      | Joint Type | Main body Material Type | Compatible With  | Max Working Temperature and Pressure |
|----------------|-------------------------------|--------------------------|------------|-------------------------|------------------|--------------------------------------|
| FIT5815        | 15 x 10                       | Polyfit Reducing Coupler | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT582210      | 22 x 10                       | Polyfit Reducing Coupler | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT5822        | 22 x 15                       | Polyfit Reducing Coupler | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT110         | 10                            | Polyfit Elbow            | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT115         | 15                            | Polyfit Elbow            | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT122         | 22                            | Polyfit Elbow            | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT128         | 28                            | Polyfit Elbow            | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT1010        | 10                            | Polyfit Spigot Elbow     | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT101510      | 10 x 15                       | Polyfit Spigot Elbow     | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT1015        | 15                            | Polyfit Spigot Elbow     | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT1022        | 22                            | Polyfit Spigot Elbow     | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 11 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999  
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009  
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

## Associated Polyfit Fittings (continued):

| Model Ref. No. | Nominal Outside Diameter (mm) | Product Description        | Joint Type | Main body Material Type | Compatible With  | Max Working Temperature and Pressure |
|----------------|-------------------------------|----------------------------|------------|-------------------------|------------------|--------------------------------------|
| FIT210         | 10                            | Polyfit Equal Tee          | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT215         | 15                            | Polyfit Equal Tee          | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT222         | 22                            | Polyfit Equal Tee          | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT228         | 28                            | Polyfit Equal Tee          | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT1415        | 15x10x15                      | Polyfit End Reduced Tee    | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT1422        | 22x15x22                      | Polyfit End Reduced Tee    | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT1428        | 28x22x28                      | Polyfit End Reduced Tee    | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT1115        | 15x15x10                      | Polyfit Branch Reduced Tee | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT112210      | 22x22x10                      | Polyfit Branch Reduced Tee | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT1122        | 22x22x15                      | Polyfit Branch Reduced Tee | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 12 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999**  
**The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009**  
**The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

## Associated Polyfit Fittings (continued):

| Model Ref. No. | Nominal Outside Diameter (mm) | Product Description            | Joint Type | Main body Material Type | Compatible With  | Max Working Temperature and Pressure |
|----------------|-------------------------------|--------------------------------|------------|-------------------------|------------------|--------------------------------------|
| FIT1128        | 28x28x22                      | Polyfit Branch Reduced Tee     | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT1622        | 15x15x22                      | Polyfit Two Ends Reduced Tee   | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT1815        | 15 x 10                       | Polyfit Socket Reducer         | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT1822        | 22 x 15                       | Polyfit Socket Reducer         | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT182815      | 28 x 15                       | Polyfit Socket Reducer         | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT1828        | 28 x 22                       | Polyfit Socket Reducer         | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT715         | 15 x 1/2"                     | Polyfit Straight Tap Connector | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT71534       | 15 x 3/4"                     | Polyfit Straight Tap Connector | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT1828        | 28 x 22                       | Polyfit Socket Reducer         | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT722         | 22 x 3/4"                     | Polyfit Straight Tap Connector | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT1715        | 15 x 1/2"                     | Polyfit Bent Tap Connector     | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 13 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999  
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009  
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

## Associated Polyfit Fittings (continued):

| Model Ref. No. | Nominal Outside Diameter (mm) | Product Description                  | Joint Type | Main body Material Type | Compatible With  | Max Working Temperature and Pressure |
|----------------|-------------------------------|--------------------------------------|------------|-------------------------|------------------|--------------------------------------|
| FIT910         | 10                            | Polyfit Spigot Blank End             | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT915         | 15                            | Polyfit Spigot Blank End             | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT922         | 22                            | Polyfit Spigot Blank End             | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT1910        | 10                            | Polyfit Socket Blank Ends            | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT1915        | 15                            | Polyfit Socket Blank Ends            | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT1922        | 22                            | Polyfit Socket Blank Ends            | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT1928        | 28                            | Polyfit Socket Blank Ends            | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT1515        | 15x10x10                      | Branch & End Reduced Tee             | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT1522        | 22x15x15                      | Branch & End Reduced Tee             | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT1528        | 28x22x22                      | Branch & End Reduced Tee             | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT2822        | 22 x 10                       | 2 Port Polyfit Double Sided Manifold | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 14 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999  
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009  
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

## Associated Polyfit Fittings (continued):

| Model Ref. No. | Nominal Outside Diameter (mm) | Product Description                  | Joint Type | Main body Material Type | Compatible With  | Max Working Temperature and Pressure |
|----------------|-------------------------------|--------------------------------------|------------|-------------------------|------------------|--------------------------------------|
| FIT4822        | 22 x 10                       | 4 Port Polyfit Double Sided Manifold | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT7322104     | 22 x 10                       | 4 Port Polyfit Single Sided Manifold | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| FIT7322153     | 22 x 15                       | 3 Port Polyfit Single Sided Manifold | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |

## Associated Polymax Fittings:

| Model Ref. No. | Nominal Outside Diameter (mm) | Product Description      | Joint Type | Main body Material Type | Compatible With  | Max Working Temperature and Pressure |
|----------------|-------------------------------|--------------------------|------------|-------------------------|------------------|--------------------------------------|
| MAX010         | 10                            | Polymax Straight Coupler | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| MAX015         | 15                            | Polymax Straight Coupler | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| MAX022         | 22                            | Polymax Straight Coupler | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| MAX028         | 28                            | Polymax Straight Coupler | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| MAX110         | 10                            | Polymax Elbow            | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 15 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999**  
**The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009**  
**The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

## Associated Polymax Fittings (continued):

| Model Ref. No. | Nominal Outside Diameter (mm) | Product Description     | Joint Type | Main body Material Type | Compatible With  | Max Working Temperature and Pressure |
|----------------|-------------------------------|-------------------------|------------|-------------------------|------------------|--------------------------------------|
| MAX115         | 15                            | Polymax Elbow           | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| MAX122         | 22                            | Polymax Elbow           | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| MAX128         | 28                            | Polymax Elbow           | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| MAX1010        | 10                            | Polymax Spigot Elbow    | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| MAX101510      | 15 x 10                       | Polymax Spigot Elbow    | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| MAX1015        | 15                            | Polymax Spigot Elbow    | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| MAX210         | 10                            | Polymax Equal Tee       | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| MAX215         | 15                            | Polymax Equal Tee       | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| MAX222         | 22                            | Polymax Equal Tee       | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| MAX228         | 28                            | Polymax Equal Tee       | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| MAX1422        | 22x15x22                      | Polymax End Reduced Tee | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 16 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999  
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009  
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

## Associated Polymax Fittings (continued):

| Model Ref. No. | Nominal Outside Diameter (mm) | Product Description                    | Joint Type | Main body Material Type | Compatible With  | Max Working Temperature and Pressure |
|----------------|-------------------------------|----------------------------------------|------------|-------------------------|------------------|--------------------------------------|
| MAX112210      | 22x22x10                      | Polymax Branch Reduced Tee             | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| MAX1122        | 22x22x15                      | Polymax Branch Reduced Tee             | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| MAX1515        | 15x10x10                      | Polymax branch and One End reduced Tee | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| MAX1522        | 22x15x15                      | Polymax branch and One End reduced Tee | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| MAX1815        | 15 x 10                       | Polymax Socket Reducer                 | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| MAX1822        | 22 x 15                       | Polymax Socket Reducer                 | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| MAX715         | 15 x 1/2"                     | Polymax Straight Tap Connector         | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| MAX71534       | 15 x 3/4"                     | Polymax Straight Tap Connector         | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| MAX722         | 22 x 3/4"                     | Polymax Straight Tap Connector         | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |
| MAX1715        | 15 x 1/2"                     | Polymax Bent Tap Connector             | Push Fit   | PB                      | PB & Copper pipe | 12.5 bar @ 20°C<br>3 bar @ 95°C      |

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 17 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999**  
**The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009**  
**The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

**Associated Polysure Fittings:**

| Model Ref. No. | Nominal Outside Diameter (mm) | Product Description | Joint Type | Main body Material Type | Compatible With | Max Working Temperature and Pressure                                            |
|----------------|-------------------------------|---------------------|------------|-------------------------|-----------------|---------------------------------------------------------------------------------|
| SUR015P        | 15                            | Coupler             | Press-fit  | PPSU                    | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only<br>3.0bar @ 105°C)  |
| SUR022P        | 22                            | Coupler             | Press-fit  | PPSU                    | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only<br>3.0bar @ 105°C)  |
| SUR115P        | 15                            | 90° Elbow           | Press-fit  | PPSU                    | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only<br>3.0bar @ 105°C)  |
| SUR122P        | 22                            | 90° Elbow           | Press-fit  | PPSU                    | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only<br>3.0bar @ 105°C)  |
| SUR215P        | 15                            | Equal Tee           | Press-fit  | PPSU                    | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only<br>3.0bar @ 105°C)) |
| SUR222P        | 22                            | Equal Tee           | Press-fit  | PPSU                    | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only<br>3.0bar @ 105°C)  |

First Issued: 2023-11-30  
Latest Issue: 2025-09-18

Effective Date: 2025-09-18  
Expiry Date: 2028-03-09

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999  
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009  
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

## Associated Polysure Fittings (continued):

| Model Ref. No. | Nominal Outside Diameter (mm) | Product Description      | Joint Type | Main body Material Type | Compatible With | Max Working Temperature and Pressure                                            |
|----------------|-------------------------------|--------------------------|------------|-------------------------|-----------------|---------------------------------------------------------------------------------|
| SUR5822P       | 22 x 15                       | SK/SK Reducer            | Press-fit  | PPSU                    | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR1422P       | 22x15x22                      | End Reduced Tee          | Press-fit  | PPSU                    | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR1122P       | 22 x 15                       | Branch Reduced Tee       | Press-fit  | PPSU                    | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR1522P       | 22 x 15                       | Branch & End Reduced Tee | Press-fit  | PPSU                    | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR015         | 15                            | Coupler                  | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR022         | 22                            | Coupler                  | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 19 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999  
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009  
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

## Associated Polysure Fittings (continued):

| Model Ref. No. | Nominal Outside Diameter (mm) | Product Description | Joint Type | Main body Material Type | Compatible With | Max Working Temperature and Pressure                                            |
|----------------|-------------------------------|---------------------|------------|-------------------------|-----------------|---------------------------------------------------------------------------------|
| SUR028         | 28                            | Coupler             | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR115         | 15                            | 90° Elbow           | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR122         | 22                            | 90° Elbow           | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR128         | 28                            | 90° Elbow           | Press-fit  | Brass                   | PB pipe         | 12.5 bar @ 20°C<br>6.0 bar @ 95°C<br>(closed circuit use only 3.0bar @ 105°C)   |
| SUR215         | 15                            | Equal Tee           | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR222         | 22                            | Equal Tee           | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 20 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999  
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009  
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

## Associated Polysure Fittings (continued):

| Model Ref. No. | Nominal Outside Diameter (mm) | Product Description | Joint Type | Main body Material Type | Compatible With | Max Working Temperature and Pressure                                            |
|----------------|-------------------------------|---------------------|------------|-------------------------|-----------------|---------------------------------------------------------------------------------|
| SUR228         | 28                            | Equal Tee           | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR5815        | 15 x 10                       | SK/SK Reducer       | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR5822        | 22 x 15                       | SK/SK Reducer       | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR582815      | 28 x 15                       | SK/SK Reducer       | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR5828        | 28 x 22                       | SK/SK Reducer       | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR1422        | 22x15x22                      | End Reduced Tee     | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 21 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999  
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009  
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

## Associated Polysure Fittings (continued):

| Model Ref. No. | Nominal Outside Diameter (mm) | Product Description    | Joint Type | Main body Material Type | Compatible With | Max Working Temperature and Pressure                                            |
|----------------|-------------------------------|------------------------|------------|-------------------------|-----------------|---------------------------------------------------------------------------------|
| SUR1428        | 28x22x28                      | End Reduced Tee        | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR5515        | 15                            | Compression Adaptor    | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR5522        | 22                            | Compression Adaptor    | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR715         | 15 x 1/2"                     | Straight Tap Connector | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR71534       | 15 x 3/4"                     | Straight Tap Connector | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR722         | 22 x 3/4"                     | Straight Tap Connector | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 22 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999**  
**The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009**  
**The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

## Associated Polysure Fittings (continued):

| Model Ref. No. | Nominal Outside Diameter (mm) | Product Description | Joint Type | Main body Material Type | Compatible With | Max Working Temperature and Pressure                                            |
|----------------|-------------------------------|---------------------|------------|-------------------------|-----------------|---------------------------------------------------------------------------------|
| SUR1715        | 15 x 1/2"                     | Bent Tap Connector  | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR4315        | 15 x 1/2"                     | MBSP Adaptor        | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR4322        | 22 x 3/4"                     | MBSP Adaptor        | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR4328        | 28 x 1"                       | MBSP Adaptor        | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR4415        | 15 x 1/2"                     | FBSP Adaptor        | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR4422        | 22 x 3/4"                     | FBSP Adaptor        | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 23 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999  
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009  
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

## Associated Polysure Fittings (continued):

| Model Ref. No. | Nominal Outside Diameter (mm) | Product Description      | Joint Type | Main body Material Type | Compatible With | Max Working Temperature and Pressure                                            |
|----------------|-------------------------------|--------------------------|------------|-------------------------|-----------------|---------------------------------------------------------------------------------|
| SUR4428        | 28 x 1"                       | FBSP Adaptor             | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR1115        | 15x15x10                      | Branch Reduced Tee       | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR1122        | 22x22x15                      | Branch Reduced Tee       | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR1122815     | 28x28x15                      | Branch Reduced Tee       | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR1128        | 28x28x22                      | Branch Reduced Tee       | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |
| SUR1522        | 22x15x15                      | Branch & End Reduced Tee | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 24 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999**  
**The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009**  
**The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

**Associated Polysure Fittings (continued):**

| Model Ref. No. | Nominal Outside Diameter (mm) | Product Description      | Joint Type | Main body Material Type | Compatible With | Max Working Temperature and Pressure                                            |
|----------------|-------------------------------|--------------------------|------------|-------------------------|-----------------|---------------------------------------------------------------------------------|
| SUR1528        | 28x22x22                      | Branch & End Reduced Tee | Press-fit  | Brass                   | PB pipe         | 12.5bar @ 20°C<br>6.0bar @ 95°C<br>(closed circuit use only)<br>3.0bar @ 105°C) |

**Associated Fittings:**

| Model Ref. No. | Nominal Outside Diameter (mm) | Product Description   | Joint Type | Main body Material Type | Compatible With | Max Working Temperature and Pressure |
|----------------|-------------------------------|-----------------------|------------|-------------------------|-----------------|--------------------------------------|
| PP6410         | 10                            | Pipe Stiffener        | Push Fit   | Polysulfone             | PB Pipe         | 12.5 bar @ 20°C 3 bar @ 95°C         |
| PP6415         | 15                            | Pipe Stiffener        | Push Fit   | Polysulfone             | PB Pipe         | 12.5 bar @ 20°C 3 bar @ 95°C         |
| PP6422         | 22                            | Pipe Stiffener        | Push Fit   | Polysulfone             | PB pipe         | 12.5 bar @ 20°C 3 bar @ 95°C         |
| PP6428         | 28                            | Pipe Stiffener        | Push Fit   | Polysulfone             | PB Pipe         | 12.5 bar @ 20°C 3 bar @ 95°C         |
| PP6415S        | 15                            | Sealed Pipe Stiffener | Push Fit   | Polysulfone             | PB Pipe         | 12.5 bar @ 20°C 3 bar @ 95°C         |
| PP6422S        | 22                            | Sealed Pipe Stiffener | Push Fit   | Polysulfone             | PB Pipe         | 12.5 bar @ 20°C 3 bar @ 95°C         |
| INCERT10       | 10                            | INCERT Pipe Stiffener | Push Fit   | Polysulfone             | PB Pipe         | 12.5 bar @ 20°C 3 bar @ 95°C         |

First Issued: 2023-11-30  
Latest Issue: 2025-09-18

Effective Date: 2025-09-18  
Expiry Date: 2028-03-09

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999**  
**The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009**  
**The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

**Associated Fittings (continued):**

| Model Ref. No. | Nominal Outside Diameter (mm) | Product Description            | Joint Type | Main body Material Type | Compatible With | Max Working Temperature and Pressure |
|----------------|-------------------------------|--------------------------------|------------|-------------------------|-----------------|--------------------------------------|
| INCERT15       | 15                            | INCERT Pipe Stiffener          | Push Fit   | Polysulfone             | PB Pipe         | 12.5 bar @ 20°C 3 bar @ 95°C         |
| INCERT22       | 22                            | INCERT Pipe Stiffener          | Push Fit   | Polysulfone             | PB Pipe         | 12.5 bar @ 20°C 3 bar @ 95°C         |
| INCERT28       | 28                            | INCERT Pipe Stiffener          | Push Fit   | Polysulfone             | PB Pipe         | 12.5 bar @ 20°C 3 bar @ 95°C         |
| PP6410M        | 10                            | Pipe Stiffener Stainless Steel | Push Fit   | SS                      | PB Pipe         | 12.5 bar @ 20°C 3 bar @ 95°C         |
| PP6415M        | 15                            | Pipe Stiffener Stainless Steel | Push Fit   | SS                      | PB Pipe         | 12.5 bar @ 20°C 3 bar @ 95°C         |
| PP6422M        | 22                            | Pipe Stiffener Stainless Steel | Push Fit   | SS                      | PB pipe         | 12.5 bar @ 20°C 3 bar @ 95°C         |

First Issued: 2023-11-30  
Latest Issue: 2025-09-18

Effective Date: 2025-09-18  
Expiry Date: 2028-03-09

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

# Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999  
The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009  
The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

## Materials Pipes

| Grey PB | White PB | Natural PB | Natural PB  |
|---------|----------|------------|-------------|
| PB4267  | PB4268   | P5250N     | Typlex 3050 |

| Grey Masterbatch | White Masterbatch | Red Masterbatch | Blue Masterbatch |
|------------------|-------------------|-----------------|------------------|
| MB50GRM          | MB35WH            | MB35RD(2).      | 4168RCP          |
| Typlex 1050 GMB  | Typlex 4050 WMB   |                 |                  |

| Adhesive            | Barrier         |
|---------------------|-----------------|
| Modic P553          | Soarnol D2908H4 |
| Mitsui Admer QF460E | Eval FP104B     |

## Fittings - Polyplumb

| Grey PB | White PB | Natural PB |
|---------|----------|------------|
| PB4267  | PB4268   | P5250N     |

| Grey Masterbatch | White Masterbatch |
|------------------|-------------------|
| MB50GRM          | MB35WH            |

| Washers                            | O Rings                   | Pipe Stiffeners                 | Lubricant                |
|------------------------------------|---------------------------|---------------------------------|--------------------------|
| DSM AKULON GFN K224-HG6.T.06.46    | EP11/01/13 BLK SH60       | Solvay UDEL P1700 BK 937 Black  | IKV Tribosil MHL 40      |
| BASF Ultramid GFN B3E2G6 Grey 7118 | EPDM 9611 BLK SH60        | Stainless Steel X2CrNiMo17-12-2 | S350 Silicone Fluid      |
| Nylon Akulon K222/RCN 3309         | EPDM 9710 BLK SH75        | -                               | Bessil F-50 Silicone Oil |
| -                                  | EPDM 60 EP 126p BLK SH 60 | -                               | -                        |
| -                                  | EP 1-1-5 BLK SH70         | -                               | -                        |

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 27 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.  
A member of BSI Group of Companies.

# Kitemark™ Certificate

No. KM 799484

**Regulation 4(1)(a) - The Water Supply (Water Fittings) Regulations 1999**  
**The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009**  
**The Water Supply (Water Fittings) (Scotland) Byelaws 2014**

## Materials (continued)

### Fittings – Polyfit & Polymax

| White PB | Natural PB |
|----------|------------|
| PB4268   | P5250N     |

| White Masterbatch |
|-------------------|
| MB35WH            |

| Washers                               | O Rings                   | Pipe Stiffeners                 | Lubricant                |
|---------------------------------------|---------------------------|---------------------------------|--------------------------|
| DSM GFN Akulon K224-HG6-1802 M/B Blue | EP11/01/13 BLK SH60       | Solvay UDEL P1700 BK 937 Black  | IKV Tribosil MHL 40      |
| -                                     | EPDM 9611 BLK SH60        | Stainless Steel X2CrNiMo17-12-2 | S350 Silicone Fluid      |
| -                                     | EPDM 9710 BLK SH75        | -                               | Bessil F-50 Silicone Oil |
| -                                     | EPDM 60 EP 126p BLK SH 60 | -                               | -                        |
| -                                     | EP 1-1-5 BLK SH70         | -                               | -                        |

### Fittings - Polysure

| PPSU                         | Brass  |
|------------------------------|--------|
| PPSU-Radel R-5100 NT15 Cream | CW602N |

| Washers            | O Rings           | Lubricant                |
|--------------------|-------------------|--------------------------|
| EPDM 9710 BLK SH75 | LOP 180 EPDM SH80 | IKV Tribosil MHL 40      |
| EP 1-1-5 BLK SH70  | LOP 180 EPDM SH80 | S350 Silicone Fluid      |
| -                  | -                 | Bessil F-50 Silicone Oil |

First Issued: 2023-11-30

Latest Issue: 2025-09-18

Effective Date: 2025-09-18

Expiry Date: 2028-03-09

Page: 28 of 28

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.  
A member of BSI Group of Companies.